



IP Camera LAUNCH - Your Best IP Surveillance Partner

PT. Gemilang Anugrah Pratama

1.3 Megapixel IP Camera

Name	Thumbnail Image	Description
LAUNCH LC5201A-C1AM		1/3" type CMOS / progressive scan / IR-CUT / resolution : 1280 x 720 / TCP-IP / DDNS / real-time transmission on Internet / Auto Exposal Control/ motion detection / local recording / image capture / Alarm / Auto IRIS interface / built in WEB SERVER / support 3 level user. Product Details
LAUNCH LC5201A-C1AR		1/3" type CMOS / progressive scan / Waterproof House,LED lights 0,01 LUX, 40 meters / resolution : 1280 x 720 / TCP-IP / DDNS / real-time transmission on Internet / motion detection / local recording / image capture / Alarm / Auto IRIS interface / built in WEB SERVER / support 3 level user Product Details

[LAUNCH LC5201A5-C1AMR](#)

1/3" type CMOS /
progressive scan /
Waterproof House,LED
lights 0,01 LUX, 50
meters / resolution : 1280
x 720 / TCP-IP / DDNS /
real-time transmission on
Internet /Auto Exposal
Control / motion detection
/ local recording / image
capture / Alarm / Auto
IRIS interface / built in
WEB SERVER /support 3
level user.

[Product Details](#)

[LAUNCH LC5201B-V3AMR](#)

1/3" type CMOS /
Vandalproof/ resolution :
1280 x 720 / TCP-IP /
DDNS / real-time
transmission on Internet /
Auto Exposal Control /
motion detection / local
recording / image capture
/ Alarm / Auto IRIS
interface / built in WEB
SERVER / support 3 level
user

[Product Details](#)

[LAUNCH LC5201B-V3AMR](#)

1/3" type CMOS /
Vandalproof/ resolution :
1280 x 720 / TCP-IP /
DDNS / real-time
transmission on Internet /
Auto Exposal Control /
motion detection / local
recording / image capture
/ Alarm / Auto IRIS
interface / built in WEB
SERVER / support 3 level
user.

[Product Details](#)

[LAUNCH LC5202E7-V2](#)

1/4" type CCD /18x
Optical Zoom / 12x Digital
Zoom / PanTiltZoom /
IRCUT / resolution : 1280
x 720 / Auto Day-Night
/128 Preset point / Anti
Surge/ Auto Focus / 8
point Auto Patrol/ TCP-IP
/ DDNS / real-time
transmission on Internet /
motion detection / local
recording / image capture
/ Alarm / Auto IRIS
interface/ IP 66 / built in
WEB SERVER / support 3
level user.

[Product Details](#)

Results 1 - 6 of 6

- «« Start
- « Prev
- 1
- Next »
- End »»